EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)with linguistic near3 membership same center near3 area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 16:21
L4	10	fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)with linguistic near3 membership and center near3 area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 16:21
L5	3	(fuzzy near3 logic or fuzzy adj1 control$4 or fuzzy adj1 set$2 or fuzzy adj2 lookup or fuzzy adj1 tabl$2 or fuzzy adj1 variance fuzz$6) same ("LUT" or lookup adj1 table$1) near7 decision$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 16:33
L6	1	(fuzzy and logic and control and plurality and lookup and tables and decisional and level and weighted and factor and quality and region-of-interest).clm.	US-PGPUB	AND	OFF	2008/08/17 16:38
S1	10507	(video or fram$2 or videophon$4 or videoconferenc$3)same (region near3 interest or "ROI")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 09:39
S2	2086	(video or videophon$4 or videoconferenc$3)same (region near3 interest or "ROI")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 09:40
S3	4	S2 same fuzzy adj1 logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 09:41

S4	56	S2 and fuzzy adj1 logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 09:45
S5	2	S4 and linguistic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 09:46
S6	2	S4 and (non-region near3 interest or background) with (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 10:08
S7	312	S2 and (non-region near3 interest or background) with (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 10:09
S8	17	S7 and (fuzzy adj1 logic or fuzz$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 10:10
S9	371	(video or fram$2 or videophon$4 or videoconferenc$3)same (segment$7 or separat$3 or divid$4)near3(video or image or pictur$2 or fram$2 or macroblock$2 or macro-block$2)same (region near3 interest or "ROI")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 10:19
S10	15	S9 and fuzzy adj1 logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 10:21

S11	157	S2 and (segment$7 or separat$3 or divid$4)near3(video or image or pictur$2 or fram$2 or macroblock$2 or macro-block$2)with (region near3 interest or "ROI")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 10:33
S12	10	S11 and fuzzy adj1 logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 10:34
S13	11	S1 and(fuzzy adj1 logic or fuzzy near3 control$4) with (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 10:45
S14	15	S1 and(fuzzy adj1 logic or fuzzy near3 control$4) with (region$2 near3 interest or "ROI" or foreground$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 10:46
S15	26	(fuzzy adj1 logic or fuzzy near3 control$4) with (region$2 near3 interest or "ROI" or foreground$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/13 11:00
S16	2087	(video or videophon$4 or videoconferenc$3)same (region near3 interest or "ROI")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 22:56
S17	449	S16 and (non-region near3 interest or background) same (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 22:56

S18	25	S17 and (fuzzy adj1 logic or fuzz$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 22:56
S19	10510	(video or fram$2 or videophon$4 or videoconferenc$3 or video adj1 conferenc$4)same (region near3 interest or "ROI")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 18:46
S20	15	S19 and (fuzzy adj1 logic or fuzzy near3 control$4) with (region$2 near3 interest or "ROI" or foreground$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 18:47
S21	23	S19 and (fuzzy adj1 logic or fuzzy near3 control$4 or fuzzy) with (region$2 near3 interest or "ROI" or foreground$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 19:12
S22	117	S19 and "H.263"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 20:21
S23	3	S22 and (fuzzy adj1 logic or fuzzy near3 control$4 or fuzzy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 20:21
S24	1600	S19 and (segment$5 or divid$3 or separat$3) near3(image or picture or frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 20:31

S25	70	S24 and "H.263"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 20:31
S26	0	S25 and (fuzzy adj1 logic or fuzzy near3 control$4 or fuzzy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 20:32
S27	196	S24 and video near3(cod$3 or encoder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 20:32
S28	6	S27 and (fuzzy adj1 logic or fuzzy near3 control$4 or fuzzy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 20:33
S29	886	(video or fram$2 or videophon$4 or videoconferenc$3 or video adj1 conferenc$4)and (region near3 interest or "ROI") same(segment$5 or divid$3 or separat$3) near3(image or picture or frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:01
S30	30	S29 and "H.263"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:01
S31	0	S30 and (fuzzy adj1 logic or fuzzy near3 control$4 or fuzzy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:02

S32	52	S29 and (fuzzy adj1 logic or fuzzy near3 control$4 or fuzzy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:02
S33	5	S32 and video near3(cod$3 or encoder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:03
S34	39	S32 and (cod$3 or encoder or encoding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:04
S35	15812	input near3 (fram$2 or pictur$2 or imag$2)near7 (segment$5 or divid$3 or separat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:22
S36	7	S35 same (fuzzy adj1 logic or fuzzy near3 control$4 or fuzzy adj1 set$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:23
S37	1	S36 and (cod$3 or encoder or encoding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:24
S38	2	"5956157".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:27

S39	82	S35 and (fuzzy adj1 logic or fuzzy near3 control$4 or fuzzy adj1 set$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:30
S40	54	S39 and (cod$3 or encoder or encoding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:30
S41	5	S40 and (region near3 interest or "ROI")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:31
S42	0	S35 and segmenta$5 near7 first adj output near10 second adj1 output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:40
S43	0	S35 and segmenta$5 near7 first adj terminal near10 second adj1 terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:41
S44	251	S35 and segmenta$5 near3 (unit or device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:42
S45	7	S44 and (fuzzy adj1 logic or fuzzy near3 control$4 or fuzzy adj1 set$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:42

S46	24	S44 and video near3(cod$3 or encoder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 21:48
S47	28	S44 and video near7(cod$3 or encoder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 22:28
S48	227	S35 and segmenta$5 near3 (apparatus or device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 22:37
S49	61	S48 and video near7(cod$3 or encoder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 22:38
S50	1	S49 and (fuzzy adj1 logic or fuzzy near3 control$4 or fuzzy adj1 set$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 22:38
S51	25940	(video or fram$2 or videophon$4 or videoconferenc$3 or imag$2 or pictur$2)with detect$5 near3(face or motion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 08:18
S52	134	S51 and segmenta$5 near7 (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 08:21

S53	4	S52 and fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 08:24
S54	5	S51 and segmenta$5 near3(device or apparatus) near7 (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 08:34
S55	4	S52 and segmenta$5 adj1 unit with (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 08:37
S56	437	S51 and (segmenta$5 or divid$3 or separat$3) with (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 08:52
S57	27	S56 and fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 08:52
S58	51985	(video or fram$2 or videophon$4 or videoconferenc$3 or imag$2 or pictur$2)and detect$5 near3(face or motion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 08:59
S59	195	S58 and segmenta$5 near7 (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 08:59

S60	4	S59 and fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 08:59
S61	4219	(segmenta$5 or divid$3 or separat$3) with detect$5 near3(face or motion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:04
S62	51	S61 and segmenta$5 near7 (region near3 interest or "ROI" or foreground near5 background)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:05
S63	2	S62 and fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:05
S64	233	S58 and segmenta$5 with (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:35
S65	170	S58 and segmenta$5 near5(region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:35
S66	4	S58 and (segmenta$5 adj1 (unit or device) near5(region near3 interest or "ROI" or foreground))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:37

S67	6	S58 and (segmenta$5 adj1 (unit or device) same(region near3 interest or "ROI" or foreground))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:38
S68	27	S57 and fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:39
S69	119	S58 and segmenta$5 near5(region$1 near3 interest or foreground or "ROI") with(non-region$1 near3 interest or background)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:43
S70	0	S58 and segmenta$5 near5(region$1 near3 interest or foreground or "ROI") with non-region$1 near3 interest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:43
S71	0	S58 and segmenta$5 near5(region$1 near3 interest or foreground or "ROI") same non-region$1 near3 interest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:44
S72	3	S69 and fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 09:44
S73	8462	382/232,233,168,164,171,173,175, 176;358/453.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 10:21

EAST Search History

S74	625	S73 and (video or fram$2 or videophon$4 or videoconferenc$3 or imag$2 or pictur$2)and detect$5 near3(face or motion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 10:21
S75	31	S74 and segmenta$5 near7 (region near3 interest or "ROI" or foreground)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 10:22
S76	1	S75 and fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 10:22
S78	0	(separating and region-of-interest and regions and non- region-of-interest and regions and image and input and region-of-interest regions and fuzzy and logic and enhancing and quality and region-of- interest and output and image). clm.	US-PGPUB	AND	OFF	2008/08/17 10:28
S79	0	(video and coding and first and control and input and second and control and input and first and variance and present and macro-block and variance and difference and variance and difference and calculated and subtracting and second and variance and previous and macro-block and first and variance and dividing and first and variance and macro-block and sequence and macro-block and region-of-interest and regions).clm.	US-PGPUB	AND	OFF	2008/08/17 10:33
S80	2	chi-ming-c.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 10:34
S81	0	"chen-mei-j.in"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 10:35

EAST Search History

S82	4	chen-mei-juan.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 10:35
S83	1	S82 and fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 10:37
S84	55	fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)with linguistic near3 membership	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 13:47
S85	1	fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)with linguistic near3 membership same quantiz$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 13:50
S86	3	S84 and quantiz$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 13:50
S87	1	fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance)with linguistic near3 membership same lookup adj1 table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 14:10
S88	2	fuzzy near3(logic or control$4 or set$2 or lookup or tabl$2 or variance) same lookup adj1 table$1 near7 decision$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 14:13

| S89 | 2 | (fuzzy near3 logic or fuzzy adj1 control$4 or fuzzy adj1 set$2 or fuzzy adj2 lookup or fuzzy adj1 tabl$2 or fuzzy adj1 variance fuzz$6) same lookup adj1 table$1 near7 decision$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/17 14:16 |
| S90 | 2 | (fuzzy near3 logic or fuzzy adj1 control$4 or fuzzy adj1 set$2 or fuzzy adj2 lookup or fuzzy adj1 tabl$2 or fuzzy adj1 variance or fuzz$6) same lookup adj1 table$1 near7 decision$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/17 14:17 |